

INDICE PARA LOS HUESPEDES Y HONGOS

ABACA (<i>Musa textilis</i> Nee.)	
<i>Cordana musae</i> (Zim.) Hoehn	30
ACACIA (<i>Acacia</i> spp.)	
<i>Ravenelia</i> sp.	112
ACHIOTE (<i>Bixa orellana</i> L.)	
<i>Cercospora bixae</i> Allesch. & Noack	19-20
<i>Peronospora</i> sp.	88
<i>Phyllosticta bixina</i> E. Young	94
AGAVE (<i>Agave americana</i> L.)	
<i>Capnodium</i> sp.	16
<i>Colletotrichum agaves</i> Cav.	28-29
<i>Diplodia theobromae</i> (Pat.) Nowell	41
<i>Dothidella parryi</i> (Farl. ex Cke.) Th. & Syd.	
AGUACATE (<i>Persea americana</i> Mill.)	
<i>Botryosphaeria ribis</i> (Tode. ex Fr.) Gross. & Doug.	13
<i>Cercospora purpurea</i> Cke.	19-20
<i>Colletotrichum gloeosporioides</i> Penz.	29-29
<i>Fomes geotropus</i> Cke.	50
<i>Glomerella cingulata</i> (Ston.) Spauld. & Schrenk	58
<i>Phyllachora gratissimā</i> Rehm.	92
<i>Phytophthora cinnamoni</i> Rands	92
<i>Rhizoctonia solani</i> Kuehn	113
<i>Sphaceloma perseae</i> Jenkins	124
<i>Verticillium albo-atrum</i> Reink. & Berth.	148
AJONJOLI (<i>Sesamum indicum</i> L.)	
<i>Cercospora sesami</i> Zimm.	19-20
<i>Rhizoctonia solani</i> Kuehn	113
<i>Sclerotium rolfsii</i> Sacc.	118
ALBARICOQUE (<i>Prunus armeniaca</i> L.)	
<i>Ttranzschelia dicolor</i> (Fckl.) Tranz. & Litv.	138
ALFALFA (<i>Medicago sativa</i> L.)	
<i>Ascochyta imperfecta</i> Pk.	10
<i>Cercospora medicaginis</i> Ell. & Ev.	19-20
<i>Erysiphe polygoni</i> DC	48
<i>Peronospora trifoliorum</i> d By.	88
<i>Physoderma alfalfae</i> (Lagerh.) Karling	96

<i>Pleospora herbarum</i> (Pers. ex Fr.)	102
<i>Pseudopeziza medicaginis</i> (Lib.) Sacc.	108
<i>Pseudoplea trifolii</i> (E. Rostr.) Petr.	107
<i>Rhizoctonia solani</i> Kuehn	113
<i>Sclerotium rolfsii</i> Sacc.	118
<i>Stagonospora meliloti</i> (Lasch.) Petr.	130
<i>Thielaviopsis basicola</i> (Berk. & Br.) Ferr.	136
<i>Uromyces striatus</i> Schroet.	143
ALGODON (<i>Gossypium hirsutum</i> L.)	
<i>Alternaria macrospora</i> Zimm.	7
<i>Ascochyta gossypii</i> Woron.	10
<i>Aspergillus niger</i> V Tiegh.	11
<i>Cercospora althaeina</i> Sacc.	19-20
<i>Colletotrichum gossypii</i> Southworth	28-29
<i>Diplodia gossypina</i> Cke.	41
<i>Dossansia gossypii</i>	42
<i>Fumago vagans</i> Fr.	51
<i>Fusarium moniliforme</i> Sheldon	52
<i>Fusarium vasinfectum</i> (Atk.) Snyder & Hansen	52
<i>Glomerella gossypii</i> Edg.	58
<i>Mycosphaerella davisii</i> F.R. Jones	76
<i>Puccinia cacabata</i> Arth. & Holw.	109
<i>Pythium</i> spp.	110
<i>Rhizoctonia solani</i> Kuehn	113
<i>Sclerotium rolfsii</i> Sacc.	118
<i>Thielaviopsis basicola</i> (Berk. & Br.) Ferr.	136
<i>Verticillium albo-atrum</i> Reinke & Berth.	148
<i>Verticillium dahliae</i> Kleb.	148
ALISO (<i>Alnus</i> spp.)	
<i>Microsphaera alni</i> DC ex Wint.	72
AMORPHA (<i>Amorpha</i> sp.)	
<i>Uromyces amorphae</i> (Curt.) Schroet.	144
ANONA (<i>Annona</i> sp.)	
<i>Cercospora anonae</i> Muller & Chupp	19-20
<i>Diplodia natalensis</i> Evans	41
<i>Diplodia theobromae</i> (Pat.) Nowellm	41
<i>Glomerella cingulata</i> (Ston.) Spauld. & Schrenk	58
APIO (<i>Apium graveolens</i> L.)	
<i>Cercospora apii</i> Fres.	19-20
<i>Puccinia apii</i> (Wallr.) Plow.	109
<i>Rhizoctonia solani</i> Kuehn	113
<i>Septoria apii</i> (Briosi & Cav.)	121
ARROZ (<i>Oryza sativa</i> L.)	
<i>Aspergillus</i> sp.	11
<i>Capnodium</i> sp.	16
<i>Cercospora oryzae</i> I. Miyake	19-20
<i>Corticium sasakii</i> (Shirai) T. Matsu.	31

<i>Curvularia</i> sp.	35
<i>Entyloma oryzae</i> H. & P. Syd.	
(<i>E. lineatum</i> (Cke.) J.J. Davis)	47
<i>Fusarium</i> sp.	52
<i>Gibberella fujikuroi</i> (Saw.) Wr.	55
<i>Helminthosporium oryzae</i> Breda de Haan	64
<i>Leptosphaeria savinii</i> Catt.	67
<i>Nigrospora oryzae</i> (Berk. & Br.) Petch	80
<i>Penicillium</i> sp.	85
<i>Piricularia oryzae</i> Cav.	99
<i>Pythium</i> sp.	110
<i>Rhizoctonia oryzae</i> Ryker & Gooch.	113
<i>Rhizoctonia solani</i> Kuehn	113
<i>Rhynchosporium oryzae</i> Hashioka & Vokogi	115
<i>Sclerotium rolfsii</i> Sacc.	118
<i>Sphaeronema</i> sp.	125
ARVEJA (<i>Pisum sativum</i> L.)	
<i>Aphanomyces euteiches</i> Drechs.	8
<i>Ascochyta pinodella</i> L.K. Jones	10
<i>Ascochyta pinodes</i> L.K. Jones	
(<i>Mycosphaerella pinodes</i> Berk. & Blox.)	10
<i>Ascochyta pisi</i> Lib.	10
<i>Colletotrichum pisi</i> Pat.	28-29
<i>Erysiphe polygoni</i> DC	48
<i>Phyllosticta</i> sp.	93
<i>Rhizoctonia solani</i> Kuehn	113
ASTER (<i>Aster</i> spp.)	
<i>Basidiophora entospora</i> Roze. & Cornu	12
AVENA (<i>Avena sativa</i> L.)	
<i>Colletotrichum graminicola</i> (Ces.) G.W. Wils.	28-29
<i>Erysiphe graminis</i> DC ex Merat	48
<i>Helminthosporium avenae</i> Eidam	64
<i>Helminthosporium victoriae</i> Meehan & Murphy	64
<i>Heterosporium avenae</i> Oud.	65
<i>Ophiobolus graminis</i> Sacc.	84
<i>Puccinia coronata</i> Cda. f. sp. <i>avenae</i> Eriks. & Henn.	109
<i>Puccinia graminis</i> Pers. f. sp. <i>avenae</i> Eriks. & Henn.	109
<i>Puccinia rubigo-vera</i> (DC) Wint.	109
<i>Ustilago avenae</i> (Pers.) Rostr.	145
<i>Ustilago kollerii</i> Wille	145
AZALEA (<i>Azalea</i> sp.)	
<i>Exobasidium vaccinii</i> Wor.	49
<i>Septoria azalea</i> Vogl.	121
BANANO (<i>Musa paradisiaca</i> L. & Subsp. <i>sapientum</i> (L.) Kuntze)	
<i>Cercospora musae</i> Zimm.	19-20
<i>Clitocybe tabescens</i> (Scop. ex Fr.) Bres.	25
<i>Cordana musae</i> (Zimm.) Hoehn.	30

<i>Diplodia theobromae</i> (Pat.) Nowell	41
<i>Fusarium oxysporum</i> var. <i>cubense</i> Schlecht. (E.F. Sm.) Wr.	52
<i>Gloeosporium musarum</i> Cke. & Mass.	57
<i>Glomerella cingulata</i> (Stan.) Spauld. & Schrenk	58
<i>Helminthosporium torulosum</i> (Syd.) Ashby	64
<i>Mycena citricolor</i> (Berk. & Curt.) Sacc.	75
<i>Mycosphaerella musicola</i> Leach (<i>Cercospora musae</i> Zimm.)	76
<i>Phoma musae</i> (Cke.) Sacc.	89
<i>Puccinia heliconiae</i> (Diet.) Arth.	109
<i>Thielaviopsis paradoxa</i> (De Seyn.) Hoehn.	136
BEGONIA (<i>Begonia</i> sp.)	
<i>Botrytis cinerea</i> Pers. ex Fr.	14
<i>Erysiphe</i> sp.	48
BERENJENA (<i>Solanum melongena</i> L.)	
<i>Phomopsis vexans</i> (Sacc. & Syd.) Harter	90
BROCOLI (<i>Brassica oleracea</i> L., var. <i>botrytis</i> L.)	
<i>Alternaria brassicae</i> (Berk') Sacc.	7
<i>Alternaria oleracea</i> Milbrath	7
<i>Plasmodiophora brassicae</i> Wor.	100
CACAO (<i>Theobroma cacao</i> L.)	
<i>Armillaria mellea</i> Vahl. ex fr.	9
<i>Ceratocystis fimbriata</i> (Ell. & Halst.) Hunt	18
<i>Colletotrichum gloeosporioides</i> Penz.	28-29
<i>Corticium salmonicolor</i> Berk. & Br.	31
<i>Diplodia theobromae</i> (Pat.) Nowell	41
<i>Fomes lignosus</i> Cke	50
<i>Pellicularia koleroga</i> Cke.	86
<i>Marasmius perniciosus</i> Stanhel	69
<i>Phytophthora palmivora</i> Butl.	98
<i>Rhizoctonia</i> sp.	113
<i>Rosellinia paraguayensis</i> Starb.	116
CAFE (<i>Coffea arabica</i> L.)	
<i>Armillaria melia</i> Vahl ex Fr.	9
<i>Capnodium</i> sp.	
<i>Cephalosporium</i> sp.	17
<i>Ceratocystis fimbriata</i> (Ell. & Halst.) Hunt	18
<i>Cercospora coffeicola</i> Berk. & Cke.	19-20
<i>Colletotrichum coffeanum</i> Noak.	28-29
<i>Corticium salmonicolor</i> Berk. & Br.	31
<i>Fomes lignosus</i> Cke.	50
<i>Helicobasidium compactum</i> Boed.	63
<i>Marasmius cyphella</i>	69
<i>Marasmius equicrinis</i> Mull.	69
<i>Mycena citricolor</i> (Berk. & Curt.) Sacc.	75
<i>Myrothecium roridum</i> Tode ex Fries	77
<i>Pellicularia koleroga</i> Cke.	86
<i>Phoma</i> sp.	89

<i>Phyllosticta</i> sp.	94
<i>Rosellinia bunodes</i> (Berk. & Br.) Sacc.	116
<i>Rosellinia necatrix</i> (Hartig) Berl.	116
<i>Rosellinia pepo</i> Pat.	116
<i>Xylaria thwaitesii</i>	150
CALABAZA (<i>Cucurbita pepo</i> L.)	
<i>Choanephora cucurbitarum</i> (Berk. & Rav.) Thaxt.	22
<i>Colletotrichum</i> sp.	28-29
<i>Erysiphe cichoracearum</i> DC	48
CAMOTE (<i>Ipomea batata</i> L.)	
<i>Albugo ipomoea-pandurata</i> (Schw.) Swing.	6
<i>Ceratocystis fimbriata</i> (Ell. & Halst.) Hunt	18
<i>Colletotrichum gloeosporioides</i> Penz.	28-29
<i>Diaporthe batatatis</i> Harter & Field	39
<i>Phytophthora</i> sp.	98
<i>Rhizoctonia solani</i> Kuehn	113
<i>Rhizopus nigricans</i> Ehr. (<i>R. stolonifer</i>)	114
Caña DE AZUCAR (<i>Saccharum officinarum</i> L.)	
<i>Ceratocystis fimbriata</i> (Ell. & Halst.) Hunt	18
<i>Cercospora koepkei</i> Krueger	19-20
<i>Cercospora sacchari</i> U.B. de Haan	19-20
<i>Colletotrichum falcatum</i> Went	28-29
<i>Fusarium moniliforme</i> Sheldon	52
<i>Helminthosporium sacchari</i> B. de Haan	64
<i>Periconia</i> sp.	87
<i>Phyllosticta sacchari</i> Speg.	94
<i>Physalospora tucumanensis</i> Speg.	95
<i>Pythium</i> sp.	110
<i>Sclerospora sacchari</i> Miyaki	117
<i>Sphaeronema</i> sp.	126
<i>Thielaviopsis paradoxa</i> (De Seyn.) Hoehn.	136
CANAVALIA (<i>Canavalia ensiformis</i> L.) DC	
<i>Ascochyta</i> sp.	10
<i>Mycosphaerella</i> sp.	76
CANNA (<i>Canna indica</i> L.)	
<i>Puccinia cannae</i> (Wint.) P. Henn.	109
CAQUI (<i>Caqui</i> sp.)	
<i>Cephalosporium diospyri</i>	17
CARTAMO (<i>Carthamus tinctorius</i> L.)	
<i>Alternaria</i> sp.	7
CEBADA (<i>Hordeum bulgare</i> L.)	
<i>Erysiphe graminis</i> DC	48
<i>Puccinia glumarum</i> (Schm.) Erik. & E. Henn.)	109
<i>Puccinia graminis</i> Pers.	109

<i>Puccinia hordei</i> Otth. (<i>P. anomala</i> Rostr.)	109
<i>Puccinia rubigo-vera</i> (DC) Wint.	109
<i>Rhynchosporium secalis</i> (Oud.) J.J. Davis	115
<i>Septoria</i> sp.	121
<i>Ustilago hordei</i> (Pers.) Lagerh.	145
<i>Ustilago nuda</i> (Jens.) Rostr.	145
CEBOLLA (<i>Allium cepa</i> L.)	
<i>Alternaria porri</i> (Ell.) Cif.	7
<i>Aspergillus niger</i> V. Tiegh.	11
<i>Botrytis allii</i> Munn	14
<i>Fusarium cepae</i> (Hanz.) Sn. & Hn.	52
<i>Fusarium oxysporum</i> Schlecht.	52
<i>Penicillium</i> sp.	85
<i>Stemphylium botryosum</i> Wallr.	131
<i>Urocystis cepulae</i> Frost	142
CENTENO (<i>Secale cereale</i> L.)	
<i>Claviceps purpurea</i> (Fr.) Tul	24
<i>Ophiobolus graminis</i> Sacc.	84
<i>Puccinia glumarum</i> (Schm.) Erik. & Henn.	109
<i>Puccinia graminis</i> Pers.	109
<i>Puccinia rubigo-vera</i> (DC) Wint.	
(<i>P. dispersa</i> Erik. & Henn.)	109
<i>Rhynchosporium secalis</i> (Oud.) J.J. Davis	115
<i>Tilletia caries</i> (DC) Tul. (<i>T. secalis</i> (Cda.) Kuehn)	137
<i>Ustilago tritici</i> (Pers.) Rostr.	145
CEREZA (<i>Prunus serotina</i> Ehrh.)	
<i>Cercospora circumscisa</i> Sacc.	19-20
<i>Podosphaera oxyacanthae</i> (DC) d By.	103
<i>Septoria</i> sp.	121
<i>Tranzschelia bicolor</i> (Fck.) Tranz. & Litv.	138
CHENOPODIUM (<i>Chenopodium</i> sp.)	
<i>Peronospora farinosa</i> Fr.	88
<i>Septoria chenopodii</i> West	121
CHICHAFUERTE (<i>Oxalis</i> sp.)	
<i>Puccinia oxalidis</i> (Lev.) Diet. & Ell.	109
CHILE (<i>Capsicum frutescens</i> L.)	
<i>Alternaria</i> sp.	7
<i>Botrytis cinerea</i> Pers. ex Fr.	14
<i>Cercospora capsici</i> Heald & Wolf	19-20
<i>Colletotrichum nigrum</i> Ell. & Halst.	28-29
<i>Phytophthora capsici</i> Leonian	98
<i>Phytophthora infestans</i> (Mont.) d By.	98
<i>Rhizoctonia solani</i> Kuehn	113
CHIMBOMBO	
<i>Thielaviopsis basicola</i> (Berk. & Br.) Ferr.	136
CIRUELA (<i>Prunus domestica</i> L.)	
<i>Coryneum carpophilum</i> (Lev.) Janch.	32

<i>Monilinia fructicola</i> (Wint.) Honey	
(<i>Sclerotinia fructicola</i> Wint.)	73-74
<i>Septoria</i> sp.	121
<i>Stereum purpureum</i> (Pers. ex Fr.) Fr.	132
<i>Taphrina</i> sp.	135
<i>Taphrina decipiens</i> (Atk.) Gies.	135
<i>Taphrina discolor</i> (Fck.) Tranz. & Litv.	138
<i>Valsa leucostoma</i> Pers. ex Fr.	146
CITRICOS (<i>Citrus</i> sp.)	
<i>Alternaria citri</i> Ell. & Pierce	7
<i>Armillaria</i> sp.	9
<i>Aspergillus</i> sp.	11
<i>Capnodium citri</i> Berk. & Desm.	16
<i>Clitocybe tabescens</i> (Scop. ex Fr.) Bres.	25
<i>Colletotrichum gloeosporioides</i> Penz.	28-29
<i>Corticium salmonicolor</i> Berk. & Br.	31
<i>Diaporthe citri</i> Wolf	39
<i>Elsinoe fawcetti</i> Bitanc & Jenkins	45
<i>Erysiphe</i> sp.	45
<i>Fumago vagans</i> Fr.	51
<i>Ganoderma lucidum</i> (Leys. ex Fr.) Karst.	54
<i>Glomerella cingulata</i> (Ston.) Spauld. & Schrenk	58
<i>Penicillium digitatum</i> Sacc.	84
<i>Penicillium italicum</i> Wehmer.	85
<i>Phoma limonii</i> Thuem.	89
<i>Phomopsis californica</i> Fawc.	90
<i>Phyllosticta citricola</i> Horik.	94
<i>Phytophthora citrophthora</i> (R.E. Sm. & E.F. Sm.) Leonian	98
<i>Phytophthora palmivora</i> Butl.	98
<i>Phytophthora parasitica</i> Dast.	98,
<i>Pleospora</i> sp.	102
<i>Pleospora herbarum</i> (Pers. ex Fr.) Rab.	102
<i>Rhizoctonia solani</i> Kuehn	113
<i>Rosellinia</i> sp.	116
<i>Septobasidium pseudopedicellatum</i> Burt.	120
<i>Septoria</i> sp.	121
<i>Spacelona fawcetti</i> Jenk.	124
CLAVEL (<i>Dainthus caryophyllus</i> L.)	
<i>Alternaria dianthi</i> F.L. Stevens & Hall	7
<i>Colletotrichum</i> sp.	28-29
<i>Oidium</i> sp.	82
<i>Pythium</i> sp.	110
<i>Septoria dianthi</i> Desm	121
COCO (<i>Cocos nucifera</i> L.)	
<i>Ceratocystis fimbriata</i> (Ell. & Halst) Junt	18
<i>Gloeosporium</i> sp.	57
<i>Pellicularia koleroga</i> Cke.	86

<i>Phomopsis cocoes</i> Petch	90
<i>Phyllosticta</i> sp.	93
<i>Physalospora fusca</i> N.E. Stevens	95
<i>Physalospora rhodina</i> (Berk. & Curt.) Cke.	95
<i>Phytophthora palmivora</i> Butl	98
<i>Pythium</i> sp.	110
<i>Thielaviopsis paradoxa</i> (D.E. Seyn.) Hoehn.	136
COLA de CABALLO (<i>Scirpus</i> sp.)	
<i>Puccinia obtecta</i> Pk.	109
COLIFLOR (<i>Brassica oleracea</i> L.var botrytis L.)	
<i>Mycosphaerella</i> sp.	76
<i>Plasmidiophora brassicae</i> Wor.	100
COYOLILLO (<i>Cyperus rotundus</i> L.)	
<i>Puccinia canaliculata</i> (Schw.) Lagh.	109
<i>Uredo noviola</i> Jacks & Holw.	141
CRISANTEMO (<i>Chrysanthemum morifolium</i> (Ramat.) Hemsl.	
<i>Botrytis cinerea</i> Pers. ex Fr.	14
<i>Rhizoctonia solani</i> Kuehn	113
DAHLIA (<i>Dahlia</i> sp).	
<i>Erysiphe</i> sp.	48
DESMONDIUM (<i>Desmodium intortum</i> DC)	
<i>Cercospora desmodii</i> Ell. & Kell	19-20
DIENTE de DRAGON (<i>Antirrhinum majus</i> L.)	
<i>Cercospora</i> sp.	19-20
<i>Colletotrichum antirrhini</i> F.C. Stewart	28-29
<i>Puccinia antirrhini</i> Diet. & Holw.	109
<i>Rhizoctonia solani</i> Kuehn	113
<i>Verticillium albo-atrum</i> Rienk. & Berth.	148
DIOSCOREA (<i>Dioscorea</i> sp.)	
<i>Fusarium</i> sp.	52
<i>Helminthosporium</i> sp.	64
DURAZNO (<i>Prunus persica</i> L.) Batch	
<i>Cladosporium carpophilum</i> Thuem.	23
<i>Clitocybe tabescens</i> (Scop. ex Fr.) Bres.	25
<i>Coryneum carpophilum</i> (Lev.) Janch.	32
<i>Fomes lignosus</i> Cke.	50
<i>Physalospora obtusa</i> (Schw.) Cke.	95
<i>Podosphaera oxyacanthae</i> (DC) d By.	103
<i>Sclerotinia fructicola</i> (Wint.) Rehm.	73-74
<i>Sphaerotheca pannosa</i> (Wallr.) Lev.	127
<i>Stereum purpureum</i> (Pers. ex Fr.) Fr.	132
<i>Taphrina deformans</i> (Berk.) Tul.	135
<i>Tranzschelia discolor</i> (Fckl.) Tranz. & Litv.	138
<i>Valsa leucostroma</i> Pers. ex Fr.	146
ESPARRAGO (<i>Asparagus officinalis</i> L.)	
<i>Puccinia asparagi</i> DC	109
ESPINACA (<i>Spinacia oleracea</i> L.)	

	<i>Albugo occidentalis</i> G.W. Wils.	6
	<i>Entyloma ellisii</i> Halst.	47
	<i>Peronospora effusa</i> (Grev. ex Desm.) Ces.	88
FRAMBUESA (<i>Rubus</i> sp.)		
	<i>Elsinoe veneta</i> (Burkh.) Jenkins	45
	<i>Phragmidium rubi-idea</i> (DC) Karsten	94
FRAMBUESA (<i>Rubus idaeus</i> L. var. <i>strigosus</i> (Michx)		
	<i>Botrytis cinerea</i> Pers. ex Fr.	14
	<i>Leptosphaeria coniothyrium</i> (Fckl.) Sacc.	67
	<i>Rhizopus nigricans</i> Ehr.	114
	<i>Septoria rubi</i> Demaree & M.S. Wilcox	121
FRESA (<i>Fragaria virginiana</i> D.)		
	<i>Botrytis cinerea</i> Pers. ex Fr.	14
	<i>Diplocarpon earliana</i> (Ell. & Ev.) Wolf	40
	<i>Mycosphaerella fragariae</i> (Tul.) Lindau.	76
	<i>Ramularia fragariae</i> Pk.	111
	<i>Ramularia tulasnei</i> Sacc.	111
	<i>Rhizopus stolonifer</i> (Ehr. ex Fr.) Lind.	114
	<i>Sphaerotheca humuli</i> (DC) Burr.	127
FRIJOL (<i>Phaseolus vulgaris</i> L.)		
	<i>Ascochyta boltshauseri</i> Sacc.	10
	<i>Chaetoseptoria wellmanii</i> Stev.	21
	<i>Colletotrichum lindemuthianum</i> (Sacc. & Mag.) Briosi & Cav.	28-29
	<i>Diaporthae phaseolorum</i> (Cke. & Ell.) Sacc.	39
	<i>Entyloma</i> sp.	47
	<i>Erysiphe polygoni</i> DC	48
	<i>Fusarium oxysporum</i> Schlecht.	52
	<i>Isariopsis griseola</i> Sacc.	66
	<i>Nematospora phaseoli</i> Wingard	79
	<i>Phytophthora</i> sp.	98
	<i>Pythium</i> sp.	110
	<i>Ramularia phaseolina</i> Petrak	111
	<i>Rhizoctonia</i> sp.	113
	<i>Rhizoctonia microsclerotia</i> Matz.	113
	<i>Stagonospora phaseoli</i> Dearn.	130
	<i>Thielaviopsis basicola</i> (Berk. & Br.) Ferr.	136
	<i>Uromyces phaseoli</i> (Pers.) Wint.	143
FRIJOL SOYA (<i>Glycine max</i> L.) Merr.		
	<i>Diaporthae sojae</i> Lehman	39
FURCRAEA (<i>Furcraea</i> sp.)		
	<i>Colletotrichum agave</i> Cav.	28
GANDUL (<i>Cajanus cajan</i>)		
	<i>Cercospora cajani</i> P. Henn.	19-20
	<i>Colletotrichum cajani</i> P. Henn.	28-29
	<i>Phyllosticta cajani</i> Rangel	93
	<i>Rhizoctonia solani</i> Kuehn	113

<i>Uromyces dolicholi</i> Arth.	143
GIRASOL (<i>Helianthus</i> sp.)	
<i>Coleosporium helianthi</i> (Schw.) Arth.	27
<i>Fusarium</i> sp.	52
GLADIOLA (<i>Gladiola</i> sp.)	
<i>Alternaria</i> sp.	7
<i>Rhizoctonia solani</i> Kuehn	113
GRAMA (<i>Cynodon dactylon</i> L.) Pers.	
<i>Sclerospora graminicola</i> (Sacc.) Schroet.	117
<i>Selenophoma</i> spp.	119
<i>Septoria</i> spp.	121
GRANADA (<i>Punica granatum</i> L.)	
<i>Cercospora punicae</i> P. Henn.	19-20
<i>Sterigmatocystis</i> sp.	113
GRANADILLA (<i>Passiflora quadrangularis</i> L.)	
<i>Cercospora regalis</i> Tharp.	19-20
<i>Colletotrichum gloeosporioides</i> Penz.	28-29
<i>Colletotrichum passiflorae</i> Stevens & Young	28-29
GUISQUIL (<i>Sechium edule</i> Jacq.) Sw.	
<i>Cercospora cucurbitae</i> Ell. & Ev.	19-20
<i>Cercospora sechii</i> Stevens, F.L.	19-20
<i>Colletotrichum lagenarium</i> (Pass.) Ell. & Halst.	28-29
<i>Erysiphe cichoracearum</i> DC	48
<i>Glomerella cingulata</i> (Ston.) Spauld. & Schrenk	58
<i>Helminthosporium sechicola</i> Stevenson	
HABA (<i>Vicia faba</i> L.)	
<i>Alternaria tenuis</i> Auct.	7
<i>Ascochyta pisi</i> Lib.	10
<i>Cercospora</i> sp.	19-20
<i>Colletotrichum viciae</i> Dearn. & Overh.	28
<i>Erysiphe polygoni</i> DC	48
<i>Pythium</i> sp.	110
<i>Uromyces fabae</i> (Pers.) d By	143
HAYA (<i>Fagus</i> spp.)	
<i>Microsphaera</i> sp.	72
HIGO (<i>Ficus carica</i> L.)	
<i>Diplodia</i> sp.	41
<i>Physopella fisi</i> (Cast.) Arth.	97
<i>Rhizoctonia solani</i> Kuehn	113
<i>Tubercularia ailanthi</i> Cke.	139
<i>Tubercularia fici</i> Edg.	139
<i>Tubercularia vulgaris</i> Tode ex Fr.	139
HIGUERILLO (<i>Ricinus communis</i> L.)	
<i>Alternaria</i> sp.	7
<i>Botryosphaeria ribis</i> (Tode ex Fr.) Gross. & Dug.	13
<i>Cercospora ricinella</i> Sacc. & Borl.	19-20
<i>Clitocybe tabescens</i> (Scop. ex Fr.) Bres.	25

	<i>Diplodia natalensis</i> P. Evans	41
	<i>Physalospora</i> spp.	95
	<i>Phytophthora palmivora</i> Butl.	
	<i>Pythium</i> sp.	110
	<i>Sclerotium rolfsii</i> Sacc.	118
HORTENSIA (<i>Hydrangea</i> sp.)		
	<i>Cercospora</i> sp.	19-20
	<i>Erysiphe polygoni</i> DC	48
HULE (<i>Hevea brasiliensis</i> Muel-Arg.)		
	<i>Alternaria</i> sp.	7
	<i>Cercospora fimbriata</i> (Ell. & Halst) Hunt	19-20
	<i>Colletotrichum gloeosporioides</i> Penz.	28-29
	<i>Corticium salmonicolor</i> Berk. & Br.	31
	<i>Diplodia theobromae</i> (Pat.) Nowell	41
	<i>Dothidella ulei</i> P. Henn.	43
	<i>Fomes lignosus</i> (Klotzsch) Bres.	50
	<i>Fomes noxius</i>	50
	<i>Gloeosporium</i> sp.	57
	<i>Glomerella cingulata</i> (Stan.) Spauld. & Schrenk	58
	<i>Helicobasidium compactum</i> Boed.	63
	<i>Marasmius cyphella</i>	69
	<i>Marasmius equicrinis</i> Mull.	69
	<i>Pellicularia filamentosa</i> (Pat) Rogers	86
	<i>Periconia hevae</i> Stevenson & Imle	87
	<i>Phytophthora palmivora</i> Butler	98
	<i>Poria</i> sp.	105
	<i>Rhizoctonia</i> sp.	113
IRIS (<i>Iris</i> sp.)		
	<i>Heterosporium iridis</i> (Fautr. & Roun.) Jacques	65
IZOTE (<i>Yucca</i> spp.)		
	<i>Colletotrichum</i> sp.	28-29
JASMIN (<i>Jasminum officinales</i> L.)		
	<i>Cercospora jasmini</i>	19-20
	<i>Choanephora infundibulifera</i> (Curr.) Sacc.	22
	<i>Colletotrichum gloeosporioides</i> Penz.	28-29
	<i>Sclerotium rolfsii</i> Sacc.	118
KENAF (<i>Hibiscus cannabinus</i> L.)		
	<i>Alternaria</i> sp.	7
	<i>Colletotrichum gloeosporioides</i> Penz.	28-29
	<i>Erysiphe</i> sp.	48
	<i>Pellicularia filamentosa</i> (Pat.) Rogers	86
KIKUYU (<i>Pennisetum clandestinum</i> Hochst. ex Chiov.)		
	<i>Helminthosporium</i> sp.	64
LECHUGA (<i>Lactuca sativa</i> L.)		
	<i>Albugo</i> sp.	6
	<i>Botrytis cinerea</i> Pers. ex Fr.	14
	<i>Bremia lactucae</i> Regel	15

<i>Cercospora longissima</i> Sacc.	19-20
<i>Fusarium</i> sp.	52
<i>Marssonina panattoniana</i> (Berl.) Magn.	70
<i>Pythium</i> sp.	110
<i>Rhizoctonia solani</i> Kuehn	113
<i>Sclerotinia sclerotiorum</i> (Lib.) d By.	74
<i>Sclerotium rolfsii</i> Sacc.	118
<i>Septoria lactucae</i> Pass.	121
LEGUMINOSA (<i>Centrosema pubescens</i> Benth.)	
<i>Cercospora bradburyae</i> E. Young	19-20
<i>Colletotrichum</i> sp.	28-29
<i>Isariopsis</i> sp.	66
LEGUMINOSA STYLO (<i>Stylosanthes gracilis</i>)	
<i>Colletotrichum</i> sp.	28-29
LINO (<i>Linum usitatissimum</i> L.)	
<i>Melampsora lini</i> (Pers.) Lev.	71
LUPINO (<i>Lupinus angustifolius</i> L.)	
<i>Colletotrichum dematium</i> (Fr.) Grove	28-29
LUPULO (<i>Humulus lupulus</i> L.)	
<i>Sphaerotheca humuli</i> (DC) Burr.	127
MAIZ (<i>Zea mays</i> L.)	
<i>Aspergillus flavus</i> Lk. ex Fr.	11
<i>Aspergillus niger</i> v. Tiegh.	11
<i>Cephalosporium</i> sp.	17
<i>Cercospora sorghi</i> Ell. & Ev.	19-20
<i>Cercospora zea-maydis</i> Tehon & Daniels	19-20
<i>Cochliobolus heterostrophus</i> Drechs.	26
<i>Darluca filum</i> (Biv. & Berr.) Cast	37
<i>Diplodia zeae</i> (Schw.) Lev.	41
<i>Fusarium moniliforme</i> Sheldon	52
<i>Gibberella fujikuroi</i> (Saw.) Wr.	55
<i>Gibberella zeae</i> (Schw.) Wetch	55
<i>Helminthosporium carbonum</i> Ullstrup	64
<i>Helminthosporium maydis</i> Nisik & Miyake	64
<i>Helminthosporium turcicum</i> Pass.	64
<i>Nigrospora</i> sp.	80
<i>Penicillium</i> sp.	85
<i>Phyllachora maydis</i> Maubl.	92
<i>Physoderma maydis</i> Miyake	96
<i>Physopella zea</i> Cumm. Ram.	97
<i>Puccinia polysora</i> Underw.	109
<i>Puccinia sorghi</i> Schw.	109
<i>Pythium</i> spp.	110
<i>Rhizopus nigricans</i> Ehr.	114
<i>Sclerospora graminicola</i> (Sacc.) Schroet.	117
<i>Sphacelotheca reiliana</i> (Kuehn) Clint.	123
<i>Ustilago maydis</i> (DC) Cda.	145

<i>Helminthosporium sativum</i> Pam., King & Bakke	64
<i>Ophiobolus graminis</i> Sacc.	84
<i>Pleospora herbarum</i> (Pers. ex Fr.) Rab.	102
<i>Puccinia glumarum</i> (Schm.) Erik. & E. Henn.	109
<i>Puccinia graminis</i> Pers.	109
<i>Septoria tritici</i> Rob. ex Desm.	121
<i>Stemphylium parasiticum</i> (Thuem.) J.A. Elliot	131
<i>Tilletia caries</i> (DC) Tul.	137
<i>Tilletia foetida</i> (Wallr.) Liro	137
<i>Urocystis tritici</i> Koern.	142
<i>Ustilago tritici</i> (Pers.) Rostr.	145
UVA (<i>Vitis</i> sp.)	
<i>Cercospora viticola</i> (Ces.) Sacc.	19-20
<i>Cryptosporella viticola</i> Shear	34
<i>Glomerella cingulata</i> (Ston.) Spauld. & Schrenk	
<i>Guignardia bidwelli</i> (Ell.) Viala & Ravaz	
<i>Mycosphaerella</i> sp.	
<i>Physopella vitis</i> (Thuem) Arth	
<i>Plasmopara viticola</i> (Berk. & Curt.) Berl. & de T.	161
<i>Pseudopeziza tracheiphila</i>	108
<i>Septoria</i> sp.	121
<i>Uncinula necator</i> (Schw.) Burr.	140
VAINILLA (<i>Vanilla planifolia</i> Andr.)	
<i>Uredo scabies</i> Cke.	141
<i>Volutella vanillae</i> (Del.) Petch & Ragun.	149
VIGNA (<i>Vigna</i> sp.)	
<i>Stagonospora phaseoli</i> var. <i>vignae</i> Dearn. & Barth.	130
VIOLA (<i>Viola</i> sp.)	
<i>Myrothecium roridum</i> Tode. ex Fr.	77
<i>Urocystis violae</i> (Sow.) Fisch. v. Waldh.	142
<i>Uromyces andropogonis</i> Tracy	143
VIOLETA AFRICANA (<i>Saintpaulia ionantha</i> Wend.)	
<i>Oidium</i> sp.	82
YUCA (<i>Manihot esculenta</i> Crantz)	
<i>Ascochyta carthaginensis</i> Sacc.	10
<i>Cercospora caribaea</i> Cif.	19-20
<i>Colletotrichum</i> sp.	28
<i>Fusarium solani</i> (Mart.) Appel & Wr.	52
<i>Physalospora rhodina</i> (Berk. & Curt.) Cke.	95
<i>Phytophthora parasitica</i> Dast.	98
ZACATE CALINGUERO (<i>Melinis minutiflora</i> Beauv.)	
<i>Helminthosporium</i> sp.	64
ZACATE DE LIMON (<i>Cymbopogon citratus</i> (DC) Stapf.)	
<i>Helminthosporium sacchari</i> (B. & de H.) Butler	64
ZACATE ESTRELLA (<i>Cynodon plectostachyus</i>)	
<i>Helminthosporium</i> sp.	64

ZACATE GUATEMALA (<i>Tripsacum laxum</i> Nash)	
<i>Puccinia polysora</i> Underw.	109
ZACATE GUINEA (<i>Panicum maximum</i> Jacq.)	
<i>Helminthosporium sativum</i> P.K.B.	64
ZACATE JOHNSON (<i>Sorghum halepense</i> L.) Pers.	
<i>Uromyces andropogonis</i> Tracy	143
ZACATE NAPIER (<i>Pennisetum purpureum</i> Schum.)	
<i>Helminthosporium</i> sp.	64
ZACATE PANGOLA (<i>Digitaria decumbens</i> Stent.)	
<i>Helminthosporium</i> sp.	64
<i>Piricularia grisea</i> (Cke.) Sacc.	99
ZACATE PARA (<i>Panicum purpurascens</i> Raddi)	
<i>Uromyces leptodermus</i> Syd	143
ZANAHORIA (<i>Daucus carota</i> L., var. <i>sativa</i> DC)	
<i>Alternaria dauchi</i> (Kuehn) Groves & Skolko	7
<i>Cercospora coratae</i> (Pass.) Solh	19-20
<i>Rhizoctonia solani</i> Kuehn	113
ZARZAMORA (<i>Rubus</i> sp.)	
<i>Sphaerotheca humuli</i> (DC) Burr.	127
ZINIA (<i>Zinnia elegans</i> Jacq.)	
<i>Cercospora</i> sp.	19-20
<i>Erysiphe</i> sp.	48